MARTCARE® FACESHIELD

PRODUCT CODE: AFM061-230-400

BROWGUARD WITH GREY UNBOUND POLYCARBONATE VISOR & ELASTICATED HEADBAND

MARTCARE® RANGE

SPECIFICATION

TECHNICAL

INSTRUCTIONS FOR USE

Before use, the browquard should be fitted to the visor

In use, ensure that the Faceshield fits comfortably and securely on the head

Ensure that the visor is in place before entering the hazard area

MATERIALS

Browguard: Polypropylene

Wheel Ratchet Harness: Polythene, ABS, Nylon and Steel Fittings

Elastic Harness: Polythene, ABS, Nylon and Elasticated Strap

Visor: Polycarbonate

DIMENSIONS OF OUTER PACKAGING

Quantity: 10
Height: 360mm
Width: 280mm
Length: 400mm
Weight: 3.2Kg (Approx.)

FACESHIELD FEATURES & PERFORMANCE

Offers protection against medium energy high speed particles at 120m/s (270mph), liquid droplets and molten metal

The optical gualities of the visor comply with the requirements of optical class 1 (highest)

Browguard with grey unbound polycarbonate visor and elasticated headband

CLEANING & MAINTENANCE

The browguard may be cleaned with soap and warm water and dried with a soft cloth

Do not clean with chemical or abrasive cleaners

The eye shield should be stored out of direct sunlight, away from chemicals and not exposed to extremes of temperature



CONFORMITY

Meets the requirements of EN 166.1.B.3.9 and EN 169 EC Certificate Number 2406, issued by BSi Product Certification

DIMENSIONS OF FACESHIELD

Height: 225mm
Width: 263mm
Length: 277mm
Weight: 255g (Approx.)
Visor Length: 200mm (Approx.)
Visor Thickness: 1mm

LIMITATIONS OF USE

Protection will only be offered if the faceshield is fitted correctly If the faceshield becomes scratched or damaged they should be replaced

Do not apply paint, solvents, adhesives or self-adhesive labels, except in accordance with instructions from the manufacturer

The harness, when in contact with the skin may cause allergic reactions to susceptible individuals. If this occurs leave the hazard area, remove the faceshield and seek medical advice

Polycarbonate visors are not suitable for use with all chemicals if you are unsure contact your supplier or JSP for help and advice



MANUFACTURING FOR SAFETY WWW.JSP.CO.UK

UKSALES@JSP.CO.UK

