



# JET3 S1P SRC

## CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Foot protection



## Specific benefits



### Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



### Hygiene

- Removable insock for easy cleaning



### Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties

## Certifications and norms



EN ISO 20345  
S1P FO A E SRC

## Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance

## Protects against risks



Antistatic



Shock



Slip



Perforation



# JET3 S1P SRC

## CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Foot protection

### Standards - Details

### Technical details

Size	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48
Size	36-48
Anti-perforation insert	Stainless steel
Safety toe-cap	Stainless steel
Footbed characteristic	Removable, Breathable, Pre-molded
Lining material	Textile, Mesh polyamid
Footbed material	EVA, Polyester
Outsole material	PU multi
Outsole finition	Injected
Weight	678 g per shoes
Shoe type	Low shoe



# JET3 S1P SRC

## CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Safety footwear

### Logistics information

Reference	Colour	Size	Désignation	EAN13	Box code	Multiple sales	Minimum sales	Weight
JET3SPNO36	Black	36	JET3 S1P SRC	3295249241445	13295249241442	10	1	13.5 kg
JET3SPNO37	Black	37	JET3 S1P SRC	3295249241469	13295249241466	10	1	14.0 kg
JET3SPNO38	Black	38	JET3 S1P SRC	3295249241476	13295249241473	10	1	14.5 kg
JET3SPNO39	Black	39	JET3 S1P SRC	3295249241520	13295249241527	10	1	14.5 kg
JET3SPNO40	Black	40	JET3 S1P SRC	3295249241537	13295249241534	10	1	15.0 kg
JET3SPNO41	Black	41	JET3 S1P SRC	3295249241544	13295249241541	10	1	15.3 kg
JET3SPNO42	Black	42	JET3 S1P SRC	3295249241551	13295249241558	10	1	15.9 kg
JET3SPNO43	Black	43	JET3 S1P SRC	3295249241568	13295249241565	10	1	16.1 kg
JET3SPNO44	Black	44	JET3 S1P SRC	3295249241575	13295249241572	10	1	15.8 kg
JET3SPNO45	Black	45	JET3 S1P SRC	3295249241582	13295249241589	10	1	17.4 kg
JET3SPNO46	Black	46	JET3 S1P SRC	3295249241599	13295249241596	5	1	9.0 kg
JET3SPNO47	Black	47	JET3 S1P SRC	3295249241605	13295249241602	5	1	8.9 kg
JET3SPNO48	Black	48	JET3 S1P SRC	3295249241612	13295249241619	5	1	10.0 kg