



PHOENIX S3 SRC

UTILITIES

Foot protection

Non-magnetic high-cut shoe with robust construction, due to its quadruple stitching



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole
- Padded collar for comfort and ankle support



Performance

- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties

Certifications and norms



EN ISO 20345

S3 WRU FO A E SRC

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Light industry

Protects against risks



Antistatic



Shock



Slip



Perforation



PHOENIX S3 SRC

UTILITIES

Foot protection

Non-magnetic high-cut shoe with robust construction, due to its quadruple stitching

Standards - Details

Technical details

Size	36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47
Size	36-47
Anti-perforation insert	Metal free
Safety toe-cap	Composite
Footbed characteristic	Removable, Pre-molded
Lining material	Textile, Mesh polyamid
Footbed material	EVA, Polyamide
Outsole material	PU multi
Outsole finition	Injected
Weight	590 g per shoes
Shoe type	High shoe



Safety footwear

PHOENIX S3 SRC

UTILITIES

Non-magnetic high-cut shoe with robust construction, due to its quadruple stitching

Logistics information

Reference	Colour	Size	Désignation	EAN13	Box code	Multiple sales	Minimum sales	Weight
PHOENS3NO36	Black	36	PHOENIX S3 SRC	3295249195649	13295249195646	5	1	6.8 kg
PHOENS3NO37	Black	37	PHOENIX S3 SRC	3295249195656	13295249195653	5	1	7.1 kg
PHOENS3NO38	Black	38	PHOENIX S3 SRC	3295249195663	13295249195660	5	1	7.3 kg
PHOENS3NO39	Black	39	PHOENIX S3 SRC	3295249195670	13295249195677	5	1	7.4 kg
PHOENS3NO40	Black	40	PHOENIX S3 SRC	3295249195687	13295249195684	5	1	7.6 kg
PHOENS3NO41	Black	41	PHOENIX S3 SRC	3295249195694	13295249195691	5	1	7.8 kg
PHOENS3NO42	Black	42	PHOENIX S3 SRC	3295249195700	13295249195707	5	1	8.5 kg
PHOENS3NO43	Black	43	PHOENIX S3 SRC	3295249195717	13295249195714	5	1	8.6 kg
PHOENS3NO44	Black	44	PHOENIX S3 SRC	3295249195724	13295249195721	5	1	9.0 kg
PHOENS3NO45	Black	45	PHOENIX S3 SRC	3295249195731	13295249195738	5	1	9.5 kg
PHOENS3NO46	Black	46	PHOENIX S3 SRC	3295249195748	13295249195745	5	1	9.5 kg
PHOENS3NO47	Black	47	PHOENIX S3 SRC	3295249195755	13295249195752	5	1	9.7 kg