

# DECLARATION OF CONFORMITY

We,

Impacto Protective Products Inc.  
P.O. Box 524, 40 Dussek  
Belleville, ON K8N 5B2 Canada  
Tel (613) 966-0062 Fax (613) 966-0067

Declare under our sole responsibility that the product

PAD2000 /#825-00/#877-00/#879-00

To which this declaration relates is in conformity with the following document

Specification List

Following the provisions of,

EN 14404+A1:2010 Performance level 1

Personal protective equipment – Knee protectors for work in  
the kneeling position. Category II

The technical Construction File is maintained at the following address:

Impacto Protective Products Inc.  
40 Dussek St., P.O. Box 524  
Belleville, ON K8N 5B2  
Canada

Tel 0613 9660 062  
Fax 0613 9660 067  
UK free phone 0800 0280 243  
Email [impacto@impacto.ca](mailto:impacto@impacto.ca)  
Contact Nelsa Tinoco

Authorized Signatory  Date 10-Mar-16

Name: Nelsa Tinoco

Position: Marketing/IT Manager  
Impacto Protective Products Inc.

## SIMPLE DESIGN

**Type** 825-00

**Description:** IMPACTO hard shell knee pads. Hard shell cover with hinged action bends with the knee, ribbed kneeling surface to prevent slipping, flat surface provides knee stability. Molded high density foam with breathable CoolMax® lining. Removable double elastic straps with hook and loop closure. 100% PVC FREE. Replacement straps available



In conformance with **EN 14404+A1:2010** Performance level 1 – Personal Protective Equipment, Knee protectors for work in the kneeling position, Category II.  
CE garments complies with and demonstrates compliance with EC Directive EC/686/89 category I personal protective equipment. Sunex II Health and Safety Requirements.

### **Details of Materials:**

Elastic - 37% rubber, 63% polyester  
Molded 95% polypropylene & 5% rubber outer shell  
Evazote – Ethylene co-polymer (18% VA)  
CoolMax® lining - 100% CoolMax fibre, Trico laminated to 1/4" polyethylene foam backing  
Hook and Loop - 100% Nylon

### **Fitting Instructions:**

Place kneepad on the knee. Position so hinge of the kneepad is positioned to flex with the knee. Wrap elastic straps around the back of your leg and fasten hook and loop closure. Do not pull the straps too tight. They should just be tight enough to prevent the knee pad from shifting.

One size fits all.

### **Washing Instructions:**

Hand wash with lukewarm water and mild detergent. Scrub with soft brush. Air dry.

### **Limitations of Use:**

These products are physiological aids. It is important to wear the correct size and comfortably fastened at all times. Do not use for sports or athletic activities. **RECOMMENDATIONS:** Kneel in an upright position; do not sit on your heels. Do not kneel with knee protectors for long periods of times without stretching. After kneeling for an hour, walk about for at least ten minutes without any knee protectors attached to your leg.

### **After Care:**

Follow manufacturer's recommendations for washing and cleaning. To ensure optimum protection, regular comparisons are recommended against a new product. The company will not accept liability for product, whose use and care advice has been ignored.

## SIMPLE DESIGN

**Type:** 877-00

**Description:** **IMPACTO** fire retardant kneepad. Hinged action hard shell cover. Molded cover with ribbed kneeling surface. High density co-polymer foam padding. Wing style padding with 100% cotton fire retardant fabric. Replaceable elastic straps with hook and loop closure.



In conformance with **EN 14404+A1:2010** Performance level 1 – Personal Protective Equipment, Knee protectors for work in the kneeling position, Category II.

CE garments complies with and demonstrates compliance with EC Directive EC/686/89 category I personal protective equipment. Sunex II Health and Safety Requirements.

### **Details of Materials:**

Elastic - 37% rubber, 63% polyester

Molded 95% polypropylene & 5% rubber outer shell

Evazote – Ethylene co-polymer (18% VA)

Banox FR3 - 100% cotton sateen. Meets industry standards ASTM F1506, NFPA70E HRC/2, NFPA701 and OSHA 29 CFR 1910.269

Thread - 100% polyester

### **Fitting Instructions:**

Place kneepad on the knee. Place so hinge of the knee cover is positioned to flex with the knee. Wrap elastic straps around the back of your leg and comfortably fasten hook and loop closure.

One size fits all. Sold per pair or cases of 20 pairs. Weight: 1.25 lbs per pair.

### **Washing Instructions:**

Hand wash in lukewarm water and mild detergent. Scrub with soft brush. Air dry. Do not bleach, machine wash, place in dryer or dry clean.

### **Limitations of Use:**

These products are physiological aids. It is important to wear the correct size and comfortably fastened at all times. Do not use for sports or athletic activities. **RECOMMENDATIONS:** Kneel in an upright position; do not sit on your heels. Do not kneel with knee protectors for long periods of times without stretching. After kneeling for an hour, walk about for at least ten minutes without any knee protectors attached to your leg.

### **After Care:**

Follow the manufacturer's recommendations for washing and cleaning. To ensure optimum protection, regular comparisons are recommended against a new product. The company will not accept liability for product, whose use and care advice has been ignored.

## SIMPLE DESIGN

**Type:** 879-00

**Description:** **IMPACTO Fire Retardant GEL Kneepad.** Removable Co-polymer cover hard shell cover, hinged action bends with your knee, ribbed surface helps prevent slipping, flat face for stability. Firm foam padding with Honeycomb gel centre to provides maximum knee protection. Breathable CoolMax® lining. Padding is covered with 100% cotton durable flame resistant fabric Double elastic straps attached with hook and loop closure.



In conformance with **EN 14404+A1:2010** Performance level 1 – Personal Protective Equipment, Knee protectors for work in the kneeling position, Category II.

CE garments complies with and demonstrates compliance with EC Directive EC/686/89 category I personal protective equipment. Sunex II Health and Safety Requirements.

### **Details of Materials:**

Elastic - 37% rubber, 63% polyester

Molded 95% polypropylene & 5% rubber outer shell

Evazote – Ethylene co-polymer (18% VA)

Gel - Kraton Gel

Banox FR3 - 100% cotton sateen. Meets industry standards ASTM F1506, NFPA70E HRC/2, NFPA701 and OSHA 29 CFR 1910.269

Thread - 100% polyester

### **Fitting Instructions:**

Place kneepad on the knee. Place so hinge of the knee cover is positioned to flex with the knee. Wrap elastic straps around the back of your leg and comfortably fasten hook and loop closure.

One size fits all. Sold per pair or cases of 20 pairs. Weight: 1.25 lbs per pair.

### **Washing Instructions:**

Hand wash with lukewarm water and mild detergent. Do not use bleach. Air dry.

### **Limitations of Use:**

T These products are physiological aids. It is important to wear the correct size and comfortably fastened at all times. Do not use for sports or athletic activities. **RECOMMENDATIONS:** Kneel in an upright position; do not sit on your heels. Do not kneel with knee protectors for long periods of times without stretching. After kneeling for an hour, walk about for at least ten minutes without any knee protectors attached to your leg.

### **After Care:**

Follow manufacturer's recommendations for washing and cleaning. To ensure optimum protection, regular comparisons are recommended against a new product. The company will not accept liability for product, whose use and care advice has been ignored.