


REF: 2USP



EN ISO 20471
RIS-3279
CERTIFIED

www.portwest.com/declarations

	A		D
	CM	CM	CM
SHORT	152-164	74	74
REG	164-176	79	
TALL	176-188	84	
X TALL	188-202	92	



	B	INCHES	CM	EURO
X	S	32"-34"	80-88	40-44
	S	36"-38"	92-96	46-48
	M	40"-41"	100-104	50-52
	L	42"-44"	108-112	54-56
	XL	46"-48"	116-124	58-62
	XXL	50"-52"	128-132	64-66
	3XL	54"-55"	136-140	68-70
	4XL	56"-58"	144-148	72-74
	5XL	60"-64"	152-160	76-80

	C	INCHES	CM	DE	FR
X	S	26-28	68-72	42-44	34-36
	S	30-32	76-80	46-48	38-40
	M	33-34	84-88	50	42-44
	L	36-38	92-96	52-54	46-48
	XL	40-41	100-104	56	50-52
	XXL	42-44	108-112	58-60	54-56
	3XL	46-47	116-120	62	58-60
	4XL	48-50	124-128	64-68	62-64

MANUFACTURER

ПРОИЗВЕДИТЕЛ, ПРОИЗВОДАЧ, УЎРОКЕ, ТООПИА, МАЛМИСТА, ФАБРИКАНТ, ХЕСТЕЛЕР, КАТАХУКАТКЕ, ГЪЯРТО, ФАБРИКАНТЕ, РАЗОЯТИ, ГАМИНОДИ, ПРОИЗВЕДИТЕЛ, ПРОДУСЕНТ, ПРОДУСЕНТ, ФАБРИКАНТЕ, ПРОДУКТОР, ПРОИЗВОДИТЕЛ, ПРОИЗВОДАЧ, УЎРОКЕ, ПРОИЗВОДИТЕЛ, ТИЛЛЕВАРЕ, УБРЕТКИ, ВОННИК

PORTWEST, WESTPORT, CO MAYO, IRELAND

TEST HOUSE

AGENCIA E TESTIMIL, ЛАБОРАТОРИЯ ЗА ИЗПИТВАНЕ, ИСПИТНА КУЌА, ЗКУШЕНИЃ ДЃМ, ТЕСТИШ, ТЕСТ МАЈА, ТЕПАЈА, ОРГАНИСМО НОТИФЕ, ТЕСТЕРНАУС, ДОМН ДОКИМОН, ТЕСТ HOUSE, ЛАБОРАТОРИО, ТЕСТА ВЕЈТА, ТЕСТАМИО ИСТАЈИГА, ТЕСТ КУЌА, ТЕСТОРГАН, ЛАБОРАТОРИУМ ВАДАЖЕ, САСА ДЕ ТЕСТЕ, ИСПЫТАТЕЛЬНЫЙ ЦЕНТР, ИСПИТНА КУЌА, СЕРТИФИКАЦИЈ ОРГАН, ТЕСТНА ИСА, ЛАБОРАТОРИО ДЕ ЕНСАЙОС, ТЕСТИШ, ТЕСТ КУРЛУЦИО, ВИПРОВУВАЊИНИ ЦЕНТР

INTERTEK	The Warehouse, Brewery Lane, Leigh, WN7 2RJ UK Notified body number: 0362
SATRA	Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 85D, United Kingdom Notified body number: 0321 Brockton Business Park, Clonee, Dublin 15, D15 YN2P Ireland Notified Body: 2777
VARTEST	Vartest Laboratories, Inc., 19 West 36th Street, 10th Floor New York, NY 10018, ISO/IEC 17025 Testing Certificate No. through AZLA is 2180.01
AITEX	Plaza Emilio Sala 1, 03801 Alcoy, Alicante, Spain Notified body number: 0161
OTI	Institut für Ökologie, Technik und Innovation GmbH, Spengergasse 20 1050 Vienna, Austria Notified body number: 0534

EN

Please read these instructions carefully before using this safety clothing. You should also consult your safety officer or immediate superior with regard to suitable garments for your specific work situation. Store these instructions carefully so that you can consult them at any time.

CE

Refer to the product label for detailed information on the corresponding standards. Only standards and icons that appear on both the product and the user information below are applicable. All these products comply with the requirements of Regulation (EU 2016/425).



ISO 13688:2013 Protective Clothing (See label)

General Requirements This European Standard specifies general requirements for ergonomics, ageing, sizing, marking of protective clothing and for information supplied by the manufacturer.

- A= Recommended height range of wearer
- B= Recommended chest girth of wearer
- C= Recommended waist girth of wearer
- D= Recommended inside leg measurement of wearer



EN ISO 20471:2013 + A1:2016, High Visibility Working Clothing signalling the users presence during day and night (see label)

X Classifications (EN ISO 20471:2013 + A1:2016) X Class for the fluorescent and reflective surface - 3 levels

- X Class 1 - Minimum level traffic speeds <30km/h
- X Class 2 - Intermediate level traffic speeds <60km/h
- X Class 3 - Highest level traffic speeds >60km/h



RIS-3279-TOM Issue 1 (2016):

Railway Industry Standard

RIS-3279-TOM Issue 1 has replaced GO/R1 3279.

Railway Industry Standards (RIS) are mandatory on all members of the Railway Group and apply to all relevant activities.

Limitations of use (EN ISO 20471:2013 + A1:2016, RIS 3279 & ANSI/ISEA 107-2015): Always wear the garment fastened. Keep clean: Should the High Visibility properties of this garment

become irreversibly soiled or contaminated, replace with a new one. This garment is suitable for wear during an entire working day and contains no toxic substances that can affect health adversely in any other way. No allergic reactions due to skin contact with this garment are known. Do not attempt to repair damaged garments. All garments should be discarded safely. The clothing should not be altered or filtered with extra labels or logos. The clothing should only be worn in situations for which it is intended.

Limitations of use (RIS 3279): Class 1 trousers claiming RIS 3279 Compliance are required to be worn with a RIS 3279 upper body garment.

Available Size & Selection:

Fit according to correct chest and waist size, refer to size chart. These garments have been built in allowance for comfort and to allow the garment to be worn over medium bulky clothing.

Storage:

DO NOT store in places subject to direct or strong sunlight. Store in clean, dry conditions.

After-care: The manufacturer will not accept liability for garments where care labels have been ignored, defaced or removed.

Fibre Content Label:

Refer to garment label for corresponding content details.

Warning: where there is a hood, peripheral vision and hearing may be impaired.

Retroreflective tape and labels:

Retroreflective tape or labels should not be ironed! Please refer to the garment label for the number and wash cycles claimed. The stated maximum number of cleaning cycles is not the only factor related to the lifetime of the garment. The lifetime will also depend on usage, care storage, etc. Garments should be discarded when the protective qualities no longer apply, i.e. Maximum number of washes is reached, 2. The material has been damaged either by fading or has been torn. 3. The reflective qualities of the tape have faded. 4. Garment is permanently soiled, cracked, burned or heavily abraded.

Wash Care Labels: Refer to garment label for corresponding washing details.

- Max temp 30°C, mild process
- Max temp 40°C, mild process
- Max temp 40°C, normal process
- Max temp 60°C, normal process
- Do Not Bleach
- Do not tumble dry
- Tumble dry low
- Tumble dry normal

- Line dry
- Drip line dry
- Do not iron
- Iron max 110°C
- Iron max 150°C
- Do not dry clean
- Professional dry clean

- MAX Maximum 50x 50 Washes
- MAX Maximum 25x 25 Washes
- MAX Maximum 12x 12 Washes
- MAX Maximum 5x 5 Washes