

SAFETY FOOTWEAR

27.05.2014 SBU-F-PGM-PM

Product Datasheet uvex xenova hygiene 6962.8 S2 SRC





UVEX ARBEITSSCHUTZ GmbH, Würzburger Str. 181-189, D-90766 Fürth

Product information	 Ultra-light slip-on shoe Metal-free Minimal number of seams to reduce staining uvex climazone technology for improved comfort High-tech breathable microfibre material upper, abrasion-resistant, water-resistant Ultra breathable distance mesh lining uvex anti-twist heel cap for greater stability and protection from ankle twisting Made with synthetic textiles – suitable for people allergic to chrome uvex xenova® duo toecap with duo component technology, thermally insulated Soft padded collar and tongue Ultra comfortable removable insole, antistatic, with a moisture control system uvex 3D hydroflex® foam insole for exceptional shock absorption in the heel and under the frontfoot Fulfils ESD requirements: resistance to ground < 35 megohm
Outsole	 PUR outsole Ergonomically designed tread Extremely flexible, excellent shock absorption Unique PUR outsole system makes the shoe ultralight Two-layer system with abrasion-resistant and cutresistant outsole

Rev. St. 1 Datum: 27.05.2014 Seite 1 von 2

	 Noticeably improved slip resistance Self-cleaning tread, non-marking Oil- and petrol-resistant Free of lacquer wetting inhibitors such as silicones, phthalates, etc. Withstands brief exposure to heat approx +120°C
Technical data	Artno. 6962.8 Width 11 Standard EN ISO 20345:2011 S2 SRC Size 35 – 50
Accessories	 ultra comfortable uvex 3D hydroflex® foam climatic insole (article no.: 9595.6, width 11) Additional shock-absorbing elements in the heel and under the front of the foot ensure comfort in high-pressure zones and provide the foot with "full-surface" shock absorption Ultra breathable and moisture-absorbing materials Shock absorption zones that assist natural movement Non-irritating, comfortable surface structure Antistatic system Supports the foot arch

Rev. St. 1 Datum: 27.05.2014 Seite 2 von 2